Applicants submit that the present invention is new, non-obvious, and useful.

Reconsideration and allowance of the claims are therefore respectfully requested.

Respectfully submitted,

By: Mongate

Dervis Magistre

Reg. No. 41,172

KENYON & KENYON One Broadway New York, New York 10004 212-425-7200

FEB 0 7 2002 E

[2685/112539]

VERSION WITH WARKINGS TO SHOW CHANGES MADE

In The Claims

Serial No. 09/097,787

Claims 1, 5, 12, 16, 21, and 23-26 have been amended as set forth below.

- 1. (Amended) A method for deriving a dynamic grammar from a set of <u>pre-stored</u> reference identifiers, comprising:
 - a) generating a plurality of selection identifiers;
- b) comparing the plurality of selection identifiers with the set of <u>pre-stored</u> reference identifiers to determine which selection identifiers are present in the set of <u>pre-stored</u> reference identifiers; and
- c) <u>deriving the dynamic grammar by</u> selecting the dynamic grammar as comprising data elements that are associated with those <u>pre-stored</u> reference identifiers that match any one of the selection identifiers.
- 5. (Amended) A method for accessing a selected one of a plurality of <u>pre-stored</u> reference identifiers, each <u>pre-stored</u> reference identifier being associated with at least one data element, the method comprising the steps of:
 - a) generating a plurality of selection identifiers;
- b) determining those <u>pre-stored</u> reference identifiers that match any one of the selection identifiers;
- c) creating a data element subset comprising at least one data element associated with those <u>pre-stored</u> reference identifiers that match any of the selection identifiers; and
- d) selecting one of the <u>pre-stored</u> reference identifiers that matches any of the selection identifiers on the basis of the at least one data element associated with the selected <u>pre-stored</u> reference identifier.
- 12. (Amended) An apparatus for deriving a dynamic grammar from a set of <u>pre-stored</u> reference identifiers, comprising:
 - a) means for generating a plurality of selection identifiers;
- b) means for comparing the plurality of selection identifiers with the set of <u>pre-stored</u> reference identifiers to determine which selection identifiers are present in the set of <u>pre-stored</u> reference identifiers; and

includes means for transferring the subset of data elements from the first memory to the second memory.

24. (Amended) An apparatus for responding to at least one vocal input form a user, comprising:

a speech recognizing device for producing a predetermined identifier in response to the vocal input;

a processing device having an input for receiving the predetermined identifier from an output of the speech recognizer;

at least one memory coupled to the processing device and including at least one <u>prestored</u> reference identifier having a predetermined relationship to the predetermined identifier; and

means for providing the user with access to the <u>pre-stored</u> reference identifier having the predetermined relationship to the predetermined identifier.

- 25. (Amended) The apparatus according to claim 24, wherein each <u>pre-stored</u> reference identifier includes at least one data element associated therewith, and wherein the predetermined relationship exists between at least a portion of the predetermined identifier and the data element of the reference identifier provided by the means for providing.
- 26. (Amended) An apparatus for responding to at least one vocal input from a user, comprising:
 - a processing device;
- a speech recognizer having an input for receiving the vocal input and an output in communication with the processing device;
- a <u>pre-stored</u> reference identifier database in communication with the processing device;
- a <u>pre-stored</u> reference identifier selection module in communication with the processing device; and
 - a dynamic grammar memory in communication with the processing device.